

searching for correlated information related to the sender,  
using the sender identification information; and  
storing the correlated information.

24. (New) A method as defined in Claim 23, further  
comprising:

encoding the audio message;  
composing an email message that includes the encoded audio  
message; and  
transmitting the email message to a predetermined email  
address.

25. (New) A method as defined in Claim 23, further  
comprising:

constructing a message interface web page; and  
receiving a request for the message interface web page.

26. (New) A method as defined in Claim 25, wherein the  
message interface web page is constructed using data derived  
from the communication.

27. (New) A method as defined in Claim 26, wherein the data  
comprises the correlated information.

28. (New) A method as defined in Claim 26, where the  
message interface web page comprises a hyperlink that enables a  
user to request the message interface web page.

29. (New) A method as defined in Claim 26, further  
comprising:

sending the message interface web page to a remote client.

30. (New) A method as defined in Claim 26, further comprising:

sending the message interface web page to a local presentation interface.

31. (New) An apparatus comprising:

a telephone mechanism to connect to a network and to receive a communication from a sender, the communication including an audio message and sender identification information;  
memory to store the audio message; and  
a search director to search one or more remote sources of information, using the sender identification information, for correlated information related to the sender; and  
memory to store the correlated information.

32. (New) An apparatus as defined in Claim 31, further comprising:

an encoder to encode the audio message;  
a composer to compose an email message that includes the encoded audio message; and  
a client to transmit the email message to a predetermined email address.

33. (New) An apparatus as defined in Claim 32, further comprising:

a local presentation interface to display a message interface web page.

34. (New) An apparatus as defined in Claim 32, further comprising:

an audio player.

35. (New) An article storing instructions that, if executed, enable a system to:  
receive a communication from a sender, the communication including an audio message and sender identification information;  
store the audio message;  
search, using the sender identification information, for correlated information related to the sender; and  
store the correlated information.

36. (New) An article as defined in Claim 35, storing instructions, that if executed, enable the system to:  
encode the audio message;  
compose an email message that includes the encoded audio message; and  
transmit the email message to a predetermined email address.

37. (New) An article as defined in Claim 35, storing instructions that, if executed, enable the system to:  
construct a message interface web page; and  
receive a request for the message interface web page.

38. (New) An article as defined in Claim 37, wherein the message interface web page is constructed using data derived from the communication.

39. (New) An article as defined in Claim 38, wherein the data comprises the correlated information.